EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	@ay<="1996" and (($queu$3 or insert$3 or process$3 or access$3 or stor$3 or process$3) with (message or request) with queue with priority) same server and (FIFO or (first adj in adj first adj out)) and order with (receiv$3 or process$3 or access$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/24 15:43
L2	6	@ay<="1996" and (($queu$3 or insert$3 or process$3 or access$3 or stor$3 or process$3) with (message or request) with queue with priority) same server and (FIFO or (first adj in adj first adj out)) and (order or rotation)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/24 15:45
L3	14	@ay<="1996" and server same ($queu$3 or insert$3 or process$3 or access$3 or stor$3 or process$3) with (message or request) with queue with priority same (FIFO or (first adj in adj first adj out) or order or rotation)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/24 15:50
L4	23	@ay<="1996" and server same ($queu$3 or insert$3 or process$3 or access$3 or stor$3 or process$3) with (message or request) with priority same (FIFO or (first adj in adj first adj out) or order or rotation) same queue	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/24 15:55
L5	27	@ay<="1996" and server same ($queu$3 or insert$3 or process$3 or access$3 or stor$3 or process$3) with (message or request) with priority same (FIFO or (first adj in adj first adj out) or order or rotation or position) same queue	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/24 16:03
L6	36	@ay<="1996" and server with ($queu$3 or insert$3 or process$3 or access$3 or stor$3 or process$3) with (message or request) with priority same (FIFO or (first adj in adj first adj out) or order or rotation or position)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/24 16:04
L7	38	@ay<="1996" and server with ($queu$3 or insert$3 or process$3 or access$3 or stor$3 or execut$3) with (message or request) with priority same (FIFO or (first adj in adj first adj out) or order or rotation or position)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/24 16:15

L8	69	"709"/$ and server with ($queu$3 or insert$3 or process$3 or access$3 or stor$3 or execut$3) with (message or request) with priority same (FIFO or (first adj in adj first adj out) or order or rotation or position)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/24 16:32
L9	0	server with ($queu$3 or insert$3 or process$3 or access$3 or stor$3 or execut$3) with (message or request) with ("same" adj priority) same (FIFO or (first adj in adj first adj out) or order or rotation or position)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/24 16:33
L10	1	server with ($queu$3 or insert$3 or process$3 or access$3 or stor$3 or execut$3) with (message or request) with ("same" near3 priority) same (FIFO or (first adj in adj first adj out) or FCFS or (first adj come adj first adj served) or order or rotation or position)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/24 16:34
L11	1	server with ($queu$3 or insert$3 or process$3 or access$3 or stor$3 or execut$3) with (message or request) with (("same" or equal) adj priority) same (FIFO or (first adj in adj first adj out) or FCFS or (first adj come adj first adj served) or order or rotation or position)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/24 16:35
L12	38	@ay<="1996" and server with ($queu$3 or insert$3 or process$3 or access$3 or stor$3 or execut$3) with (message or request) with priority same (FIFO or (first adj in adj first adj out) or FCFS or (first adj come adj first adj served) or order or rotation or position)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/24 16:35
S1	22	709/207.ccls. and (message adj queue) and priority	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/01/16 16:48
S2	5	@ad < "19960805" and 709/207.ccls. and (message adj queue) and priority	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/01/16 16:59
S3	640	@ad < "19960805" and (message adj queue) and priority	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/01/16 17:00

S4	189	@ad < "19960805" and (message adj queue) same priority	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/01/16 17:01
S5	117	@ad < "19960805" and (message adj queue) same priority and position	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/01/16 17:01
S6	59	@ad < "19960805" and ((message adj queue)) same priority and position and insert	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/01/16 17:02
S7	59	@ad < "19960805" and ((message adj queue)) same priority and position and insert and send and receive	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/01/17 12:56
S8	78	@ad < "19960805" and ((message adj queue)) same priority and position and insert$3 and send$3 and receiv$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/01/16 17:40
S9	78	@ad < "19960805" and ((message adj queue)) same priority and position and insert$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/01/16 17:54
S10	15	@ad < "19960805" and (establish$3 near (message adj queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/01/16 18:08
S11	21	@ad < "19960805" and (insert$3 near (message adj queue)) and (priority)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/01/16 18:08
S12	0	@ad < "19960805" and ((message adj queue)) same priority and (rotation adj position)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/01/17 12:57
S13	8	@ad < "19960805" and ((message adj queue)) same priority same (position)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/01/17 12:59
S14	388	@ad < "19960805" and (send$3 adj message) same priority	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/07/10 18:31
S15	0	@ad < "19960805" and (send$3 adj message) same hav$3 adj priority	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/01/17 13:04

EAST Search History

S16	0	@ad < "19960805" and (send$3 adj message) same "with" adj priority	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/01/17 13:04
S17	11	@ad < "19960805" and (send$3 adj message) same priority same (message adj queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/01/17 13:12
S18	68	@ad < "19960805" and (send$3 adj message) same priority and (message adj queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/01/17 13:13
S19	3	@ad < "19960805" and (send$3 adj message) same priority and (rotation adj position)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/07/10 18:33
S20	0	@ad < "19960805" and (message) same priority and (determin$3 same (rotation adj position))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/07/10 18:35
S21	18	@ad < "19960805" and (message) and (determin$3 same (rotation adj position))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/07/10 18:42
S22	0	@ad < "19960805" and (message) and (determin$3 adj (rotation adj position))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/07/10 18:38
S23	0	@ad < "19960805" and (message same priority) and client and server and (determin$3 and (rotation adj position))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/07/10 18:53
S24	0	@ad < "19960805" and (message and priority) and client and server and (determin$3 and (rotation adj position))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/07/10 18:54
S25	1	@ad < "19960805" and client and server and (determin$3 and (rotation adj position))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/07/10 18:54
S26	0	@ad < "19960805" and client and server and ((send$3 or transfer$4) adj message) and (rotation adj position)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/07/10 18:56
S27	16	@ad < "19960805" and client and server and ((send$3 or transfer$4) adj message) and priority and (rotation and position)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/07/10 19:00

S28	3	@ad < "19960805" and ((send$3 or transfer$4) adj message) and (message same priority) and (rotation adj position)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/07/10 19:17
S29	4	@ad < "19960805" and ((send$3 or transfer$4) adj message) and (message same priority) and (rotation near position)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/07/10 19:18
S30	111	@ad < "19960805" and ((send$3 or transfer$4) adj message) and (message same priority) and (rotation same position)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/07/10 19:19
S31	77	@ad < "19960805" and ((send$3 or transfer$4) adj message) and (message same priority) and (determin$3 same rotation same position)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/07/10 19:22
S32	25	@ad < "19960805" and ((send$3 or transfer$4) adj message) and (message near priority) and (determin$3 same rotation same position)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/30 14:34
S33	2	"6073177".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/07/10 21:17
S34	25	@ad < "19960805" and (insert$3 or dispatch$3) same (message adj queue) same priority	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/30 15:10
S35	3	@ad < "19960805" and (insert$3 or dispatch$3 or post$3) same (message adj queue) same priority and rotation	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/30 15:11
S36	2	@ad < "19960805" and (insert$3 or dispatch$3 or post$3) same (message adj queue) same priority and (round near robin)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/30 15:13
S37	22	@ad < "19960805" and (insert$3 or dispatch$3 or post$3) same (message same queue) same priority and (rotation or (round near robin))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/30 16:58
S38	4	@ad < "19960805" and (message same queue) same priority same (rotation or (round near robin))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/30 15:27

EAST Search History

S39	4	@ad < "19960805" and (message same queue) same priority same (rotation or (round near robin))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/30 15:35
S40	3	@ad < "19960805" and server same (insert$3 or dispatch$3 or put$4 or post$3) same (message same queue) same priority and (rotation or (round near robin))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/30 15:36
S41	27	@ad < "19960805" and (insert$3 or dispatch$3 or put$4 or post$3) same (message same queue) same priority and (rotation or (round near robin))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/30 15:41
S42	9	@ad < "19960805" and (insert$3 or dispatch$3 or put$4 or post$3) same (message adj queue) same priority and (rotation or (round adj robin))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/30 15:47
S43	43	@ad < "19960805" and (insert$3 or dispatch$3 or put$4 or post$3 or determin$3) same (message same queue) same priority and (rotation or (round adj robin) or (rotation adj order))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/30 15:49
S44	15	@ad < "19960805" and (insert$3 or dispatch$3 or put$4 or post$3 or determin$3) same (message near queue) same priority and (rotation or (round adj robin) or (rotation adj order))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/30 15:53
S45	2	@ad < "19960805" and determin$3 same priority same (rotation or (round adj robin) or (rotation adj order)) and (insert$3 or put$4 or post$3 or transmit$4 or send$3) same (message adj queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/30 16:01
S46	57	@ad < "19960805" and determin$3 same priority same (rotation or (round adj robin) or order) and (insert$3 or put$4 or post$3 or transmit$4 or send$3) same (message adj queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/30 16:04
S47	34	@ad < "19960805" and determin$3 same priority same (rotation or (round adj robin) or order) and (insert$3 or put$4 or post$3 or transmit$4 or send$3) with (message adj queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/30 16:40

S48	33	@ad < "19960805" and ((enqueue$3 or insert$3) with ((message or priority) adj queue) with priority) and (determin$3 or read$3) with (priority or rotation or position or order or (round adj robin))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/30 18:37
S49	5	@ad < "19960805" and ((enqueue$3 or insert$3) with message with ((message or priority) adj queue) with priority) and (determin$3 or read$3) with (priority or rotation or position or order or (round adj robin))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/30 18:37
S50	5	@ad < "19960805" and server same ((enqueu$3 or insert$3) with ((message or priority) adj queue) with priority) and (determin$3 or read$3) with (priority or rotation or position or order or (round adj robin))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/30 18:40
S51	3	@ad < "19960805" and ((enqueu$3 or insert$3 or put$4 or transmit$4) with ((message or priority) adj queue) with priority) and (determin$3 or read$3) with (priority or rotation or position or order or (round adj robin)) and starv$5 and server and client	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/30 18:43
S52	14	@ad < "19960805" and ((enqueu$3 or insert$3 or put$4 or transmit$4) with ((message or priority) adj queue) with priority) and (determin$3 or read$3) with (priority or rotation or position or order or (round adj robin)) and starv$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/30 18:47
S53	43	@ad < "19960805" and ((enqueu$3 or insert$3 or put$4) with ((message or priority) adj queue) with priority) and (determin$3 or read$3) with (priority or rotation or position or order or (round adj robin))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/30 18:49
S54	33	@ad < "19960805" and ((enqueu$3 or insert$3) with ((message or priority) adj queue) with priority) and (determin$3 or read$3) with (priority or rotation or position or order or (round adj robin))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/30 18:49
S55	3	@ad < "19960805" and ((enqueu$3 or insert$3) with ((message or priority) adj queue) with priority) and (determin$3 or read$3) with (priority or rotation or position or order or (round adj robin)) and (round adj robin)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/31 14:27

S56	6	@ad < "19960805" and ((enqueu$3 or insert$3) same ((message or priority) adj queue) with priority) and (determin$3 or read$3) with (priority or rotation or position or order or (round adj robin)) and (round adj robin)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/31 14:37
S57	6	@ad < "19960805" and ((enqueu$3 or insert$3) same ((message or priority) adj queue) with priority) and (determin$3 or read$3) same (priority or rotation or position or order or (round adj robin)) and (round adj robin)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/31 14:37
S58	6	@ad < "19960805" and ((enqueu$3 or insert$3) same ((message or priority) adj queue) same priority) and (determin$3 or read$3) same (priority or rotation or position or order or (round adj robin)) and (round adj robin)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/31 14:37
S59	59	@ad < "19960805" and ((enqueu$3 or insert$3) same ((message or priority) adj queue) same priority) and (determin$3 or read$3) with (priority or rotation or position or order or (round adj robin))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/31 14:38
S60	51	@ad < "19960805" and ((enqueu$3 or insert$3) same ((message or priority) adj queue) with priority) and (determin$3 or read$3) with (priority or rotation or position or order or (round adj robin))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/31 14:38
S61	33	@ad < "19960805" and ((enqueu$3 or insert$3) with ((message or priority) adj queue) with priority) and (determin$3 or read$3) with (priority or rotation or position or order or (round adj robin))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/31 14:48
S62	7	@ad < "19960805" and ((enqueu$3 or insert$3) with message with ((message or priority) adj queue) with priority) and (determin$3 or read$3) same (priority or rotation or position or order or (round adj robin))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/31 14:50
S63	9	@ad < "19960805" and ((enqueu$3 or insert$3) with message with ((message or priority) adj queue) with priority) and (priority or rotation or position or order or (round adj robin))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/31 14:50

S64	16	@ad < "19960805" and ((enqueu$3 or insert$3) with message with ((message or priority) adj queue)) and (round adj robin)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/31 14:51
S65	70	@ad < "19960805" and ((enqueu$3 or insert$3) same ((message or priority) adj queue) same priority) and (determin$3 or read$3) same (priority or rotation or position or order or (round adj robin))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/31 15:06
S66	54	@ad < "19960805" and ((enqueu$3 or insert$3) same ((message or priority) adj queue) with priority) and (determin$3) same (priority or rotation or position or order or (round adj robin))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/31 15:07
S67	13	@ad < "19960805" and ((enqueu$3 or insert$3) same message same ((message or priority) adj queue) with priority) and (determin$3) same (priority or rotation or position or order or (round adj robin))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/31 15:08
S68	26	@ad < "19960805" and ((enqueu$3 or insert$3) same message same ((message or priority) adj queue) same priority)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/31 15:30
S69	61	@ad < "19960805" and ((enqueu$3 or insert$3) same message same queue same priority)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/31 15:31
S70	8	@ad < "19960805" and ((enqueu$3 or insert$3) same message same queue same priority) and (round adj robin)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/31 16:31
S71	53	@ad < "19960805" and (($queu$3 or insert$3) same message same queue same priority) and (round adj robin)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/31 16:31
S72	36	@ad < "19960805" and (($queu$3 or insert$3) with message with queue same priority) and (round adj robin)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/31 16:34
S73	23	@ad < "19960805" and (($queu$3 or insert$3) with message with queue with priority) and (round adj robin)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/17 15:30

S15 7	327	@ad < "19960805" and (($queu$3 or insert$3 or process$3 or access$3) with (message or request) with queue with priority) and (FIFO or (first adj in adj first adj out))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/17 15:32
S15 8	112	@ad < "19960805" and (($queu$3 or insert$3 or process$3 or access$3) with (message or request) with queue with priority) same (FIFO or (first adj in adj first adj out))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/17 15:32
S15 9	0	@ad < "19960805" and (($queu$3 or insert$3 or process$3 or access$3) with (message or request) with queue with priority) same server same (FIFO or (first adj in adj first adj out)) and order with (receiv$3 or process$3 or access$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/17 15:33
S16 0	4	@ad < "19960805" and (($queu$3 or insert$3 or process$3 or access$3) with (message or request) with queue with priority) same server and (FIFO or (first adj in adj first adj out)) and order with (receiv$3 or process$3 or access$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/17 15:33
S16 1	4	@ad < "19960805" and (($queu$3 or insert$3 or process$3 or access$3 or stor$3) with (message or request) with queue with priority) same server and (FIFO or (first adj in adj first adj out)) and order with (receiv$3 or process$3 or access$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/24 15:41